

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	143	(data near resource\$1 near identif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 16:45
S2	8365	(resource\$1 near identif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 11:05
S3	649	(resource\$1 near identif\$3) and ((display with name) or displayname)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 19:02
S4	15	(data near resource\$1 near identif\$3) and ((display with name) or displayname)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 15:02

EAST Search History

S5	50	((("20050222986") or ("6094649") or ("6088728") or ("6243751") or ("6442432") or ("20030046529") or ("20050198247") or ("5812776") or ("6044378") or ("20060130034") or ("6249795") or ("6466570") or ("5729682") or ("5923833") or ("5958050") or ("6275867") or ("6308226") or ("20030163548") or ("6032175") or ("6954792") or ("20030005117") or ("20030046282") or ("20020188657") or ("20040148326") or ("6074299") or ("5243596") or ("6018764") or ("4843541") or ("4851988") or ("5241682") or ("5291602") or ("5303238") or ("5432899") or ("5448735") or ("5469432") or ("5475819") or ("5579529") or ("5621663") or ("5708780") or ("5713009") or ("5717922") or ("5764807") or ("5784452") or ("5784358") or ("5793966") or ("5813020") or ("5822565") or ("5913037") or ("5915096") or ("5933829") or ("").pn.")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/03 18:15
S6	0	S5 and (repositor\$3 with framework\$1)	USPAT	OR	OFF	2007/01/03 16:54
S7	548	(repositor\$3 with framework\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 16:55
S8	41	(repositor\$3 with framework\$1) and (resource\$1 near identif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:52
S9	2	(repositor\$3 with framework\$1) and ((resource\$1 near identif\$3) same (data near resource\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 17:51

EAST Search History

S10	8	(repositor\$3 with framework\$1) and ((resource\$1 near identif\$3) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 17:51
S11	1027	(resource\$1 near identif\$3) with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 18:34
S12	46	(resource\$1 near identif\$3) with name and ((valid or non\$valid or unvalid or un\$valid) near character\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:33
S13	2	(resource\$1 near identif\$3) with displayname	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 19:03
S14	598	input with (filename)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 19:02
S15	36	(resource\$1 near identif\$3) and (input with (filename))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 19:03
S16	681	(resource\$1 near identif\$3) and (input with name\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:56
S17	142	(resource\$1 near identif\$3) and (input with name\$1) and ((resource\$1 near identif\$3) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:58

EAST Search History

S18	28	(resource\$1 near identif\$3) and (input with name\$1) and ((resource\$1 near identif\$3) with name) and (modif\$4 with name\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:58
S19	18	(resource\$1 near identif\$3) and (input with name\$1) and ((resource\$1 near identif\$3) with name) and (modif\$4 with name\$1) and propert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 10:05
S20	18	(resource\$1 near identif\$3) with synchroniz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 10:16
S21	157	(resource\$1 near identif\$3) and (synchroniz\$5 with name\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 10:17
S22	42	(resource\$1 near identif\$3) and (synchroniz\$5 with name\$1) and (input with name\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 10:41
S23	15	(input with name\$1) with (resource\$1 near identif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 10:46
S24	41	(resource\$1 near identif\$3) with document with nam\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:38
S25	400	(resource\$1 near identif\$3) and (nam\$3 with convention)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 11:06

EAST Search History

S26	1	(resource\$1 near identif\$3) and (nam\$3 with convention with repository)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 11:06
S27	1	(resource\$1 near identif\$3) and (nam\$3 with convention with repositor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 11:07
S28	6	(resource\$1 near identif\$3) and (nam\$3 with convention same repositor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 11:15
S29	7	(repositor\$3 with framework\$1) and (resource\$1 near identif\$3 with name\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:10
S30	1	(repositor\$3 with framework\$1 with name\$1) and (resource\$1 near identif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:11
S31	71	(nam\$3 with convention same repositor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:06
S32	26	(nam\$3 with convention with repositor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 11:36
S33	15335	((input\$4 or enter\$3 or receiv\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or repositor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 15:11

EAST Search History

S34	3064	((input\$4 or enter\$3 or receiv\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (id\$1 or identifier\$1 or (unique near number\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:01
S35	433	((input\$4 or enter\$3 or receiv\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (id\$1 or identifier\$1 or (unique near number\$1))) and (nam\$2 with (convention or concatenation or extension))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:03
S36	364	((input\$4 or enter\$3 or receiv\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (id\$1 or identifier\$1 or (unique near number\$1))) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (name\$1 or displayname\$1 or filename\$1)) and (nam\$2 with (convention or concatenation or extension))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:05
S37	26	((input\$4 or enter\$3 or receiv\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (id\$1 or identifier\$1 or (unique near number\$1))) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (name\$1 or displayname\$1 or filename\$1)) and (nam\$2 with (convention or concatenation or extension)) and ((modif\$3 or chang\$3) with (exist\$3 or current or present) with ((name\$1 or displayname\$1 or filename\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:54
S38	70	((input\$4 or enter\$3 or receiv\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (resource\$1 with identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:23

EAST Search History

S39	24	((input\$4 or enter\$3 or receive\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (resource\$1 with identifier\$1)) and (nam\$2 with (convention or concatenation or extension))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:29
S40	0	((input\$4 or enter\$3 or receive\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (resource\$1 with identifier\$1)) and (nam\$2 with (convention or concatenation or extension) with (source\$1 or database\$1 or reposit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:29
S41	6	((input\$4 or enter\$3 or receive\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (resource\$1 with identifier\$1)) and (nam\$2 with (convention or concatenation or extension) same (source\$1 or database\$1 or reposit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 13:37
S42	215	((input\$4 or enter\$3 or receive\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) near3 (id\$1 or identifier\$1 or (unique near number\$1))) and ((prepar\$3 or setup or generat\$3 or creat\$3) with (name\$1 or displayname\$1 or filename\$1)) and (nam\$2 with (convention or concatenation or extension))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:56
S43	140	((input\$4 or enter\$3 or receive\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) near3 (id\$1 or identifier\$1 or (unique near number\$1))) and ((prepar\$3 or setup or generat\$3 or creat\$3) near3 (name\$1 or displayname\$1 or filename\$1)) and (nam\$2 with (convention or concatenation or extension))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:57

EAST Search History

S44	18	((input\$4 or enter\$3 or receiv\$3) with (name\$1 or filename\$1) with (source\$1 or database\$1 or reposit\$3)) and ((prepar\$3 or setup or generat\$3 or creat\$3) near3 (id\$1 or identifier\$1 or (unique near number\$1))) and ((prepar\$3 or setup or generat\$3 or creat\$3) near3 (name\$1 or displayname\$1 or filename\$1)) and (nam\$2 with (convention or concatenation or extension) with (source\$1 or database\$1 or reposit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 13:27
S45	0	(resource\$1 near identif\$3) and "oacs"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:38
S46	27	"oacs"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:48
S47	0	((map\$4 with charater\$1) with ((resource\$1 with identifier\$1) with (name\$1 or filename\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:50
S48	0	((map\$4 with charater\$1) and ((resource\$1 with identifier\$1) with (name\$1 or filename\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:51
S49	0	((map\$4 with charater\$1) and ((resource\$1 with identifier\$1) same (name\$1 or filename\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:56
S50	71	((map\$4 with character\$1) and ((resource\$1 with identifier\$1) same (name\$1 or filename\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 14:32

EAST Search History

S51	63	((map\$4 with character\$1) and ((resource\$1 with identifier\$1) with (name\$1 or filename\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:58
S52	0	((map\$4 with character\$1) with ((resource\$1 with identifier\$1) with (name\$1 or filename\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:57
S53	0	((map\$4 with character\$1) same ((resource\$1 with identifier\$1) with (name\$1 or filename\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:57
S54	80	(map\$4 with ((resource\$1 with identifier\$1) with (name\$1 or filename\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:59
S55	0	(map\$4 with ((resource\$1 with identifier\$1) with (name\$1 or filename\$1) with display\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 14:00
S56	0	(map\$4 with ((resource\$1 with identifier\$1) with (name\$1 or filename\$1) same display\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 14:00
S57	11416	(map\$4 with (resource\$1 with identifier\$1) with (name\$1) or filename\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 14:33
S58	80	(map\$4 with (resource\$1 with identifier\$1) with (name\$1 or filename\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 14:34

EAST Search History

S59	610	((input\$4 or enter\$3 or receive\$3) with (name\$1 or filename\$1) with (data near (source\$1 or database\$1 or repositior\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 15:12
S60	16	((input\$4 or enter\$3 or receive\$3) with (name\$1 or filename\$1) with (data near (source\$1 or database\$1 or repositior\$3)))) and (map\$4 with (name\$1 or filename\$1) with ((id\$1 or identifier\$1 or (unique near number\$1))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 15:19
S61	12	((input\$4 or enter\$3 or receive\$3) with (name\$1 or filename\$1)) and ((name\$1 or filename\$1) with similar with (resource with identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 16:01
S62	6	((input\$4 or enter\$3 or receive\$3) with (name\$1 or filename\$1)) and ((name\$1 or filename\$1) with similar with (resource with identifier)) and map\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 17:00
S63	1	("20030033286").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/05 11:33
S64	8708	(nam\$3 with convention\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:07
S65	226	(nam\$3 with convention\$1) and (valid with character\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 18:09
S66	203	(nam\$3 with convention\$1) and (valid with character\$1) and map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 18:11

EAST Search History

S67	25	(nam\$3 with convention\$1) and (valid with character\$1) and map\$4 and (character\$1 with (duplicat\$3 or cop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 18:14
S68	2	(nam\$3 with convention\$1) and (valid with character\$1) and (character\$1 with map\$4) and (character\$1 with (duplicat\$3 or cop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 18:18
S69	1	("6523170").PN.	USPAT; USOCR	OR	OFF	2007/01/04 18:23
S70	1	("6401099").PN.	USPAT; USOCR	OR	OFF	2007/01/04 18:24
S71	19	(modif\$4 with displayname\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:35
S72	15	(modif\$4 with displayname\$1) and (displayname with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:34
S73	1	(modif\$4 with displayname\$1) and (displayname\$1 with user\$1 with interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:34